

TECHNICAL DATA SHEET

MMBLOOM Essential

A3

A4

| Parameter | Standard | Unit | Measurement |
|--------------------|------------|------------------|-------------|
| Substance | EN ISO 536 | g/m ² | 80 ± 3 |
| Thickness | ISO 534 | µm | 104 ± 4 |
| Moisture content | EN ISO 287 | % | 3,5 - 5,0 |
| Whiteness | ISO 11475 | CIE units | 146 ± 3 |
| Brightness | ISO 2470-2 | % | 105 ± 2 |
| Opacity | ISO 2471 | % | 93 +2/-1 |
| Bendtsen Roughness | ISO 8791-2 | ml/min | 220 ± 60 |
| Stiffness MD | ISO 2493-1 | mN | 112 -15% |
| Stiffness CD | ISO 2493-1 | mN | 48 -15% |



Product certification

- | 100% ECF Fibres
- | ISO 9706 (Archiving)
- | Production following requirements of DIN EN 12281

Extract date: 16/01/23

The data presented can be changed without notice.

