



XENONS UV X6090

A1-6090



Design



Specification

F6090

■ Main Technical Specification

Item	Model	
	F6090	
Printhead	EPSON i3200U1 / EPSON i1600U1	
Printhead No.	3units	
Print Size	600*900mm	
Print Thickness	1mm-200mm	
Ink Type	Environment-friendly UV Curing Ink	
Ink Color	C M Y K W V	
Auto Cleaning	Available	
Ink Monitoring System	Voice Intelligent Alarm	
Rip Software	Standard: PhotoPrint. Onyx is optional.	
Media Type	Crystal Film, Bottle, Photo Paper, Acrylic, Ceramic, Glass, Wood, Leather, etc.	
Touch System	7 inch High-Definition Touch System	
Lifting Function	Carriage Height Automatic Adjustment, Intelligent Detection of Material Thickness	
Print File Format	TIFF, JPEG, PDF, EPS, PNG, AI, BMP, etc.	
Printer Dimension	1525mm*1695mm*695mm (Length*Width*Height)	
Packing Size	1650mm*1800mm*1000mm (Length*Width*Height)	
Weight (Net/Gross)	280kg / 370kg	
Power/Power Rating	220V 50HZ/60HZ/2.0KW	
Computer Configuration	Computer System: Win10, 64 bit; Gigabit Ethernet Port	
Working Environment	Independent, Clean, Low Dust, Less Sunshine, Well Ventilated Workshop,	
	Temperature: 15℃-28℃, Humidity: 40%-70%	
Ventilation Device	Ventilation Fan is Necessary. Air Exhaust Volume: 600 CFM	
Print Speed (3Heads- C+W+V)	High Speed Mode	11.20m ² /h
	Production Mode	9.50m ² /h
	High Quality Mode	6.80m ² /h

Technical aspects

● Y Axis



● Z Axis



Technical aspects

- Steel structure



Technical aspects

- Touch screen



- Automatic measurement of the height of the object
- 12 software languages
- Waste ink level sensor
- Automatic cleaning