



The new premium 100% recycled paper NAUTILUS® ProCycle combines a pleasing high whiteness with the stringent Blue Angel environmental criteria. Excellent runnability as well as more vivid colours and faster drying thanks to ColorLok® Technology for inkjet print. Underline your green message without giving up high-contrast images.



Technical Data: NAUTILUS® ProCycle

| | | | | |
|---------------------------|------------------|------------|--------------|--------------|
| Basis weight | g/m ² | ISO 536 | 80 | ± 3.0 |
| Caliper | µm | ISO 534 | 106 | ± 3 |
| Roughness Bendtsen | ml/min | ISO 8791-2 | 220 | ± 50 |
| Opacity | % | ISO 2471 | 93.0 | ± 1 |
| Moisture abs. | % | ISO 287 | 4.6 | ± .6 |
| Brightness UV | % | ISO 2470 | 100.0 | ± 3.0 |
| CIE Whiteness | % | ISO 11475 | 135 | ± 3.0 |

Product meets EN 12281, requirements for copy paper for dry toner imaging processes, and DIN 6738, ageing resistance, as well as ISO 20494, requirements for permanence for paper. Production processes are certified according to ISO 9001, ISO 14001 and ISO 45001. Standard measurement uncertainty between laboratories is not incorporated.

SIGNIFICANCE OF VALUES: 2 SIGMA

According to the harmonisation of calibration procedures of the Authorized Laboratories acting un